


YOUR GUIDE TO DURITE CONSUMABLES

OVER 250+ QUALITY PRODUCTS INSIDE
AND OVER 3,500 CAREFULLY SELECTED PRODUCTS ONLINE AT DURITE.CO.UK



CABLE AND CONNECTORS..... pg 2-3

CONNECTORS..... pg 4

BATTERY TERMINALS..... pg 4

CABLE, TUBING & FUSES..... pg 5

CABLE AND WIRING ACCESSORIES..... pg 6-7

USB PORT SOCKETS & PLUGS..... pg 7

TRAILER CONNECTIONS & GAUGES..... pg 8

RELAYS..... pg 9

SWITCHES AND INDICATORS..... pg 10-11

CABLE | SWITCHES & INDICATORS | BATTERY TERMINALS | RELAYS & MORE

Cordwallis Group

CORDWALLIS GROUP
HEATHROW

Great Southwest Road | Bedfont | Middlesex | TW14 8ND
0208 045 5005

CABLE

Your one-stop shop for your vehicle wiring needs with over 2,000 quality parts available in the range and over 380 cables.

For wiring tools go to page 7

SINGLE CORE CABLE BS6862

BS6862

Cross section	Colour	50M
1mm ²	Black	0-942-01
	Red	0-942-05
2mm ²	Black	0-943-01
	Red	0-943-05


Longer reels available, visit durite.co.uk



TWIN CORE CABLE

BS6862 OR THIN WALL ISO6722:2006 CLASS B

Cross section	30M
0.65mm ²	0-951-00
1.0mm ² , thin wall	0-951-50
1.0mm ²	0-952-51
2.0mm ² , thin wall	0-953-50
2.0mm ²	0-953-00
3.00mm ²	0-953-51
4.5mm ²	0-955-00



MULTI CORE CABLE

BS6862 OR THIN WALL ISO6722:2006 CLASS B

Cross section	10M	30M
4 x 0.65mm ²	-	0-993-00
4 x 1mm ² thin wall	-	0-993-50
6 x 1mm ² x 1 x 2mm ²	0-997-05	0-997-00
7 x 0.75mm ² , thin wall	-	0-997-60
8 x 1.5mm ² / 5 x 2.5mm ² thin wall	0-999-63	-
12 x 1.5mm ² x 1 x 2.5mm ² thin wall	0-999-13	-
5 x 1.5mm ² / 2 x 4mm ² thin wall	-	0-997-20


FLEXIBLE STARTER CABLE

Cross section	Colour	10M
16mm ²	Black	0-978-01
	Red	0-978-05
40mm ²	Black	0-982-10
	Red	0-982-15
25mm ²	Black	0-981-10
	Red	0-981-15
35mm ²	Black	0-976-10
	Red	0-976-15
50mm ²	Black	0-977-10
	Red	0-977-15
60mm ²	Black	0-983-10
	Red	0-983-15
70mm ²	Black	0-977-01



LOOKING FOR MORE CABLE?

Contact your local distributor for more information



POWER CABLES



Rated at 130A

0-733-26 | 3m cable with grey high current connectors



Rated at 175A

0-733-36 | 3m cable with grey high current connectors

0-733-37 | 3m cable with red high current connectors



Rated at 170A

4-204-03 | 2m cable with high current connectors

4-204-05 | 3m cable with high current connectors



Rated at 80A

0-732-00 | 3m cable with plain ends



0-975-35 | 50m coil Siamese battery cable

Rated at 190A

HIGH CURRENT CONNECTORS

Aftermarket high current connectors

NEW



	GREY	RED
Description	Qty 100	Qty 100
Rated 50A	0-431-45	0-432-45
Rated 175A	0-431-55	0-432-55

High current connectors

Larger quantities available



	GREY	RED
Rating	Qty 1	Qty 1
Rated 50A	0-431-05	0-432-05
Rated 120A	0-431-20	0-432-20
Rated 175A	0-431-75	0-432-75
Rated 350A	0-431-35	0-432-35

SUPERSEAL CONNECTORS

Larger quantities available

1.5mm Male Blade Housing

1-way Kit x 1 pk
Part no. 0-011-51

2-way Kit x 1 pk
Part no. 0-011-52

3-way Kit x 1 pk
Part no. 0-011-53

4-way Kit x 1 pk
Part no. 0-011-54

5-way Kit x 1 pk
Part no. 0-011-55

6-way Kit x 1 pk
Part no. 0-011-56

1.5mm Female Blade Housing

1-way Kit x 1 pk
Part no. 0-011-61

2-way Kit x 1 pk
Part no. 0-011-62

3-way Kit x 1 pk
Part no. 0-011-63

4-way Kit x 1 pk
Part no. 0-011-64

5-way Kit x 1 pk
Part no. 0-011-65

6-way Kit x 1 pk
Part no. 0-011-66



Full range of superseal connectors at durite.co.uk

DEUTSCH CONNECTOR

Larger quantities available



2-way Male
Part no. 0-011-32



3-way Male
Part no. 0-011-33



4-way Male
Part no. 0-011-34



2-way Female
Part no. 0-011-42



3-way Female
Part no. 0-011-43



4-way Female
Part no. 0-011-44



Male 1-2mm²
Terminal | QTY 4
Part no. 0-011-95



Female 1-2mm²
Terminal | QTY 4
Part no. 0-011-96



LOOKING FOR LARGER QUANTITIES?

Contact your local distributor for more information or visit durite.co.uk

MULTIPLE CONNECTORS

2-way Econoseal male waterproof connector | QTY 1
Part no. 0-012-42



2-way Delphi type 2.80mm female blade housing | QTY 1
Part no. 0-011-82



2-way Econoseal female waterproof connector | QTY 1
Part no. 0-012-52



2-way Multiple connector male blade housing | QTY 5
Part no. 0-011-03



2-way Delphi type 2.80mm male blade housing | QTY 1
Part no. 0-011-72



2-way Female junior power timer connector | QTY 1
Part no. 0-012-72



ASSORTMENT KITS



Deutsch DT connectors 152 pcs
Part no. 0-011-30



More assortment kits available, visit durite.co.uk

CONNECTORS

Suitable for cables
0.5mm² - 1.5mm²
9 - 21/0.30mm

Part no.	Qty
0-001-49	25
2-001-49	100
3-001-49	1000



Suitable for cables
1.5mm² - 2.5mm²
21 - 35/0.30mm

Part no.	Qty
0-001-50	25
2-001-50	100
3-001-50	1000



Suitable for cables
6.3mm push on
1.5mm² - 2.5mm²
21 - 35/0.30mm

Part no.	Qty
0-001-27	50
2-001-27	100
3-001-27	1000



6.3mm Receptacle
Push on for
1.00mm² - 2.50mm²

Part no.	Qty
0-011-24	50



Larger quantities available

Suitable for cables
0.5mm² - 1.5mm²
9 - 21/0.30mm

Part no.	Qty
0-001-59	25
2-001-59	100



Suitable for cables
0.5mm² - 1.5mm²
9 - 21/0.30mm

Part no.	Qty
0-001-56	25
2-001-56	100



Suitable for cables
0.5mm² - 1.5mm²
9 - 21/0.30mm

Part no.	Qty
0-001-53	50
2-001-53	100



**WANT TO
SEE THE FULL
RANGE?
VISIT DURITE.CO.UK**

Suitable for cables
11.50mm² - 70mm²

Part no.	Stud	Qty
0-008-74	10mm	10



Suitable for cables
9.5mm² - 50mm²

Part no.	Stud	Qty
0-008-63	8mm	10
0-008-64	10mm	10



Suitable for cables
8.20mm² - 35mm²

Part no.	Stud	Qty
0-008-53	8mm	10



Suitable for cables
7.0mm² - 25mm²

Part no.	Stud	Qty
0-008-43	7mm	10



Suitable for cables
1.00mm² - 2.50mm²

With locking tag.

Part no.	Stud	Qty
0-011-22	6.3mm	50



Suitable for cables
0.65mm² - 1.00mm²

With locking tag.

Part no.	Stud	Qty
0-011-23	10mm	50



Suitable for cables
0.2mm² - 0.75mm²

Part no.	Stud	Qty
0-001-90	10mm	10



Insulating boot
8x14mm cable entry
21mm Ø Terminal

Part no.	Qty
0-003-60	10



BATTERY TERMINALS


Larger quantities available

**60mm²
SCREW CLAMP**



Pack 10
Negative | Part no. 2-558-01
Positive | Part no. 1-558-01

**8mm²
METRIC STUD**



Pack 10
Negative | Part no. 2-102-01
Positive | Part no. 1-102-01

**10mm²
METRIC STUD**



Pack 10
Negative | Part no. 2-103-01
Positive | Part no. 1-103-01

**XL
SCREW CLAMP**



Pack 10
Negative | Part no. 2-559-01
Positive | Part no. 1-559-01

**5/16"
WHITWORTH STUD**



Pack 10
Negative | Part no. 2-100-01
Positive | Part no. 1-100-01

**10mm²
QUICK RELEASE TERMINALS**

0-023-00 | Pack of 2
Negative & Positive quick
release battery terminals



TERMINAL COVERS

Fits all side entry terminals
Pack 10
Black | Part no. 2-558-99
Red | Part no. 1-558-99



**LOOKING FOR THE FULL RANGE OF
TERMINALS, VISIT DURITE.CO.UK**



BOOSTER CABLES

0-205-20 | Set of two Extra heavy-duty slave leads - 300A 5.0m



0-153-50 | Red/black copper crocodile clips 2 x red & 2 x Black - 200A 183mm long



0-153-00 | Red/black copper crocodile clips 2 x red & 2 x Black - 100A 183mm long



HEAVY-DUTY TUBING

Split



Un-split



SPLIT TUBING

0-331-07

7.5NW x 50m

0-331-10

10NW x 50m

0-331-13

13NW x 50m

0-331-17

17NW x 50m

0-331-22

22NW x 50m

UN-SPLIT TUBING

0-330-07

7.5NW x 50m

0-330-13

13NW x 50m

0-330-10

10NW x 50m

0-330-17

17NW x 50m



LOOKING FOR HEATSHRINK & SLEEVING?

Contact your local distributor for more information

FUSES



MEGA TYPE FUSES

Part No.	Rating	Colour
0-376-10	100A	Yellow
0-376-15	150A	Orange
0-376-17	175A	White
0-376-20	200A	Blue
0-376-25	250A	Pink
0-376-30	300A	Grey
0-376-55	500A	Brown



MIDI TYPE FUSES

Part No.	Rating	Colour
0-378-13	30A	Orange
0-378-14	40A	Green
0-378-15	50A	Red
0-378-16	60A	Yellow
0-378-18	80A	White
0-378-20	100A	Blue



PANEL/BASE MOUNT TYPE

Part No.	Rating
0-384-10	10A
0-384-97	Splash proof cover for above



SIDE CABLE ENTRY

Part No.	Description
0-234-24	4-way fuse
0-234-26	6-way fuse
0-234-28	8-way fuse



BUSBAR FUSE BOXES - BLADE

Part No.	Description
0-234-44	4-way fuse
0-234-46	6-way fuse
0-234-40	10-way fuse



FUSE BOX, 8-WAY

Part No.	Description
0-234-18	8-way fuse

CABLE AND WIRING ACCESSORIES



0-326-57 | Schlemmer type female connector 10NW tubing - 7 way



Fleece tape
19mm x 25m
Part no. 0-527-50



Black PVC tape
19mm x 20m
Part no. 0-615-00



0-002-47 | black standard nylon
6.6 cable ties 300 x 4.8mm
QTY 100

0-002-56 | black standard nylon
6.6 cable ties 370 x 4.8mm
QTY 100

CABLE AND WIRING ACCESSORIES



0-431-97 | 175A high current connector cover



0-431-87 | 175A connector cover for high connectors



0-012-02 | double non-reversible high connector - 75A at 12V



0-005-51 | 4-stud tin-plates copper bus bar with 4 x 3/16" UNF studs 100A



0-005-57 | Heavy-duty enclosed bus bar 4 studs 300A



0-330-77 | DIN black nylon 90° connector for 7.5NW tubing



0-326-54 | DIN black nylon 90° connector for 10NW tubing - 4 way

0-330-80 | DIN black nylon 90° connector for 10NW tubing



0-372-99 | Add-a-Circuit type mini fuse blade holder 10A continuous
QTY 5



0-376-90 | Blade fuse holder with flying leads & cover 30A continuous
QTY 5



0-376-99 | Add-a-Circuit type fuse blade holder 10A continuous
QTY 5




0-376-89 | Add-a-Circuit micro type 2 fuse blade holder
QTY 5



0-377-90 | In-line fuse holder with flying leads & splashproof cover, 100A continuous
QTY 1



0-372-90 | Mini blade fuse holder with flying leads & cover 15A continuous
QTY 5



0-002-41 | Black adhesive fixing base for 5mm cable ties 28x28mm
QTY 25



In-line connector interface for convoluted tubing
2-way Superseal 10NW
0-326-12 | QTY 1
4-way Superseal 10NW
0-326-15 | QTY 250



0-466-50 | Black moulded insulated housing for cables up to 25mm²



0-376-00 | In-line fuse holder for blade type fuses
QTY 10



3-377-00 | Fuse holder with terminals and bracket for maxi blade type fuse
QTY 100



0-834-10 | Universal in-line diode - 10A
QTY 10



0-376-02 | Fuse holder with terminals and bracket for blade type fuse
QTY 5



0-376-85 | Fuse holder for mega type fuse
QTY 1



0-378-00 | Fuse holder for midi and strip link type fuses
QTY 1



0-378-85 | Fuse holder for midi and strip link type fuses
QTY 1

WIRING TOOLS



Crimping tool
Pre-insulated terminals
Part no. 0-702-00



Crimping tool
Pre-insulated & ignition
Part no. 0-702-10




Ratchet crimping tool
Pre-insulated terminals
Part no. 0-702-50




Ratchet crimping tool
Econo/superseal terminals
Part no. 0-703-51



Deutsch crimping tool
For D-sub contacts
Part no. 0-703-20



6" Side cutters
For copper wire
Part no. 0-704-20



8" Side cutters
For copper wire
Part no. 0-704-21



Cable stripper
Cutter & stripper
Part no. 0-704-00

EQUIPMENT & ACCESSORIES

Durite offers an extensive range of Equipment and Accessories. Including gauges, lighter, DIN, 12V/24V plugs & sockets, windscreen wiper equipment, fans and horns.

USB PORT SOCKETS

- ✓ Dual ports
- ✓ 5V USB port
- ✓ Quick charging



1 0-790-00 | 2 x 6.3mm Male Blade Terminal
2 x 3.1A USB Ports



2 0-534-15 | 1 x 3.0A USB Port, 1 x C-type Port with Voltmeter



3 0-601-08 | Black USB port socket
2 x 5V 3.1A USB Ports



0-601-01 | Power socket
with cover 20A



0-601-16 | Cigarette lighter plug
with green LED indicator - 8A

USB PORT CIGARETTE LIGHTER PLUGS

- ✓ Triple USB ports
- ✓ 5V
- ✓ Quick charging

4 0-601-12 | 1 x 3.0A & 2 x 2.1A USB Ports
with Voltmeter



5 0-601-13 | 1 x 3.0A & 2 x 2.4A USB Ports



0-601-50 | 2.45m Retractable cable
with cigarette lighter plug



0-601-26 | Din plug - 16A



WANT TO SEE MORE OF THE DURITE RANGE OF PRODUCTS?

Your one stop shop for your vehicle needs, with over 3,000 quality parts available.
Looking for larger quantities visit durite.co.uk or contact your local distributor



TRAILER CONNECTIONS



0-477-07 | 7-pin 24V to 7-pin 12V trailer lighting adaptor



0-365-16 | 12V 3-pin plastic non-reversible plug



0-477-46 | 24V 3-pin heavy-duty metal trailer plug



0-477-16 | 24V 7-pin metal trailer plug



0-473-19 | 24V 3-pin waterproof brass trailer clang socket



0-365-19 | 12V 3-pin plastic non-reversible socket



0-473-16 | 24V 3-pin waterproof brass trailer clang plug



0-465-16 | 7-pin waterproof plastic plug

GAUGES



0-523-08 | 10-80V Circular engine hour counter non-illuminated bridge fitting 75mm deep



0-523-23 | 12V Water temperature gauge 90° sweep dial including 1/8" NPTF sender



0-523-06 | 12V Fuel gauge 90° sweep dial including adjustable sender



0-523-22 | 12V Battery condition voltmeter 90° sweep dial



0-523-17 | 12V Oil pressure gauge 90° sweep dial including 1/8" NPTF sender



0-525-10 | 12/24V Tachometer 270° sweep dial, 0-4,000rpm. Adjustable for alternator pick-up



0-523-58 | 8-32V Rectangular engine hour counter non-illuminated bridge fitting 70mm deep



0-523-68 | 10-36V Digital LCD engine hour counter non-illuminated bridge fitting 40mm deep



0-523-78 | 12/24V 86mm Ø Tachometer 270° dial, 0-4,000rpm. Programmable for alternator pick-up



0-533-16 Oil pressure gauge 270° sweep dial including 1/8" NPTF union



LOOKING FOR MORE GAUGES?


Looking for more of the Durite range of gauges, visit durite.co.uk or contact your local distributor for more information.



RELAYS

Durite offers relays for both 12V and 24V vehicles, including made-to-order programmable timer relays. Covering over 95% of all applications.

Larger quantities available



	Description	Terminals	Rating	Part No.
	MINI MAKE & BREAK RELAYS			
1	Normally Open (NO)	4x6.3mm	24V, 20A	0-727-24
1	NO, with diode	4x6.3mm	12V, 40A	0-727-16
2	NO, with fuse	4x6.3mm	12V, 20A	0-726-12
3			24V, 15A	0-726-24
3	NO, Twin	5x6.3mm	12V, 40A	0-727-32

	Description	Terminals	Rating	Part No.
	HEAVY-DUTY MINI MAKE & BREAK RELAYS			
4	Normally Open (NO)	2x6.3mm 2x9.5mm	12, 70A	0-727-57 QTY 10
			12V, 70A	0-727-70
			24V, 40A	0-727-40
			24V, 70A (sealed)	0-727-47
4	NO, with resistor	2x6.3mm 2x9.5mm	24V, 20A (sealed)	0-727-72

	Description	Terminals	Rating	Part No.
	EXTRA HEAVY-DUTY MINI MAKE & BREAK RELAYS			
4	Normally Open (NO)	2x6.3mm 2xM6 studs	12V, 100A	0-727-08
		2xM8 studs	12V, 200A	0-727-68
		2x6.3mm 2x9.5mm	12V, 100A	0-727-10
			12V, 120A	0-727-18
		2x6.3mm 3x9.5mm	12V, 80/100A (sealed)	0-728-72

	Description	Terminals	Rating	Part No.
	MINI CHANGE OVER RELAYS			
3	Normally Open (NO)	5x6.3mm	12V 30/40A	0-728-33 QTY 10
		5x6.3mm	12V, 20/30A	0-728-12
			24V, 10A/20A	0-728-24

	Description	Terminals	Rating	Part No.
	MICRO CHANGE-OVER RELAYS			
5	Normally Open (NO) with diode	3x4.8mm 2x6.3mm	12V, 15A/25A (sealed)	0-728-13
			24V, 10A/15A (sealed)	0-728-25
			12V 20/30A	0-728-31 Qty 10

	Description	Terminals	Rating	Part No.
	LATCHING CHANGE OVER RELAY			
	With resistor	5x6.3mm	12V, 25A	0-728-02

	Description	Terminals	Rating	Part No.
	VOLTAGE SENSITIVE RELAYS			
	Voltage sensitive	2 x M6 studs	12V, 140A	0-727-33
			24V, 140A	0-727-83
	Programmable	2 x M6 bolts 2x6.3mm blades	12V, 200A	0-727-43
		5x6.3mm	5mins	12V, 20/25A 0-740-51
		1x2.8mm	4hrs	12V, 20/25A 0-740-62


	Use for	Accepts terminals up to	Part No.
	SOCKETS FOR RELAYS & FLASHER UNITS		
6	Micro relays	2x2.8mm 3x4.8mm 2x6.3mm	0-729-03
7	Other relays	4x2.8mm 5x6.3mm	0-729-00



SWITCHES

Covering over 90% vehicle applications, Durite offer an extensive range of switches and indicators, including custom design switches and made-to-order switch panels.

Larger quantities available



Part No. Continuous rate Surge rate Attribute Qty

SINGLE POLE BATTERY ISOLATORS

11	0-605-13	75A	200A	Key, Cover (IP67)	1
1	0-605-00	100A	500A	Key, Cover	1
2	0-605-01	100A	500A	Knob	1
3	0-605-20	100A	500A	Key	1
4	0-605-50	250A	2500A	Key, Cover (IP65)	1
4	0-605-60	250A	2500A	T handle (IP67)	1
5	0-605-62	250A	2150A	T handle	1

DOUBLE POLE BATTERY ISOLATORS

6	0-605-51	250A	2500A	Key, cover (IP66)	1
---	----------	------	-------	-------------------	---

MARINE SINGLE POLE BATTERY ISOLATORS

7	0-605-11	300A	1000A	Knob (IP66)	1
7	0-605-12	550A	2500A	Fixed knob (IP66)	1

MARINE DOUBLE POLE BATTERY ISOLATORS

8	0-605-26	250A	2500A	T handle (IP65)	1
---	----------	------	-------	-----------------	---

EMERGENCY BATTERY ISOLATORS

9	0-605-40	130A	1000A	Push button, IP66	1
---	----------	------	-------	-------------------	---

REMOTE BATTERY ISOLATORS

10	0-605-43	300A	2400A	With aux. circuit	1
10	0-605-33	300A	2400A	Single pole	1

Part No. Pole No. Functions Hole Ø Qty

2 POSITIONS

1	0-603-00	Single	On/Off	13mm	1
---	----------	--------	--------	------	---

3 POSITIONS

2	0-496-00	Single	Momentary change-over or Momentary on/off/ momentary on	13mm	1
---	----------	--------	---	------	---

Part No. Pole No. of functions Other attribute Hole Ø Qty

ROCKER SWITCHES

0-531-05	Single, on/off	Red LED	Ø20mm	1
0-531-11	Single, on/off	Amber, worklamp	Ø20mm	1
0-531-18	Single, on/off	Amber, beacon	Ø20mm	1

Up to 48V



Up to 48V



Up to 48V



0-531-01
to
0-531-10



0-531-11
to
0-531-18

Larger quantities available



0-351-01
0-351-05



0-351-04
0-351-06

Replaces Lucas



0-351-51
0-351-55
0-351-20
0-351-56

DIN40050

Part No.	No. positions	Functions	Hole Ø	Qty
METAL IGNITION SWITCHES				
0-351-01	2	On/off	Ø22mm	1
0-351-05	4	Off/accessory/ignition/start	Ø22mm	1
0-351-04	4	Off/ignition/pre-heat/heat start (5 terminals)	Ø16mm	1
0-351-06	4	Off/ignition/pre-heat/heat start (4 terminals)	Ø16mm	1

PLASTIC IGNITION SWITCHES (IP64)				
0-351-20	4	Off/accessory/ignition/start	Ø26.5mm	1
0-351-51	4	Accessory/off/accessory-ignition/start	Ø26mm	1
0-351-55	5	Accessory/off/accessory-ignition/pre-heat/start	Ø26mm	1
0-351-56	5	Accessory/off/accessory-ignition/pre-heat/start	Ø26mm	1

Part No.	Pole No.	Functions	Qty
ROCKER SWITCH BODY			
0-780-51	Single	2 Positions On/off	1
0-780-11	Single	2 Positions On/off	1
0-780-23	Double	2 Positions On/off, IP67	1
0-784-23	Double	3 Positions On/off/on, IP67	1



1



2



3



4



5

Part No.	Functions	Qty
----------	-----------	-----

	SPLASHPROOF & PUSH BUTTON SWITCHES		
1	0-603-50	Splashproof On/off toggle switch with rubber gaiter, 10A at 28V	1
2	0-485-50	Splashproof Push button momentary on switch, 12.5A at 12V	1
3	0-656-02	Splashproof Rotary On/off switch, 15A at 12V	1
4	0-485-00	Push button momentary on switch, 12.5A at 12V	1
5	0-657-01	Emergency stop button, single pole IP65	1



0-657-02 | 2 push button control box.
2 button single pole. Protected to IP65



**SWITCHES & INDICATORS EXTENSIVE RANGE
WITH CUSTOM DESIGNS & MADE-TO-ORDER**

Contact your local distributor for more information



**YOUR ONE-STOP SHOP FOR
YOUR VEHICLE WIRING NEEDS,
WITH OVER 2,000 QUALITY
PARTS AVAILABLE**



durite.co.uk



**SWITCHES & INDICATORS
EXTENSIVE RANGE COVERS 90% OF
APPLICATIONS, INCLUDING CUSTOM
DESIGN & MADE-TO-ORDER**



durite.co.uk



**DURITE HAS A WIDE RANGE
OF RELAYS AND FLASHER
UNITS COVERING 95% OF ALL
APPLICATIONS**



Have more flexibility with our customisable and
made-to-order programmable timer relays

durite.co.uk



**DURITE OFFER AN EXTENSIVE
RANGE OF EQUIPMENT AND
ACCESSORIES, INCLUDING GAUGES,
PLUGS AND SOCKETS**



durite.co.uk

THE TRUSTED QUALITY BRAND FOR PROFESSIONALS

Cordwallis Group

CORDWALLIS GROUP
HEATHROW

Great Southwest Road | Bedfont | Middlesex | TW14 8ND
0208 045 5005