



COMMERCIAL VEHICLE LED LIGHTING RANGE

LED WORK LAMPS | LIGHT BARS | BEACONS | WARNING LIGHTS & MORE




Cordwallis Group


CORDWALLIS GROUP
HEATHROW

Great Southwest Road | Bedfont | Middlesex | TW14 8ND
0208 045 5005

YOUR GUIDE TO COMMERCIAL VEHICLE LED LIGHTING

Find the right lighting for your vehicle, with Durite high quality LED range. LED work lamps, light bars, beacons, warning lights, rear combination lights, marker lamps and more.





1 LED WORK LAMPS

Page 4-7



2 DRIVING LAMPS & HEADLAMPS

Page 8-9



3 REVERSING LAMPS

Page 10



4 FORKLIFT LAMPS

Page 11



5 LED LIGHT BARS

Page 12-13



6 LED BEACONS

Page 14-15



7 WARNING LIGHTS

Page 16-17



8 REAR COMBO & SINGLE FUNCTION LAMPS

Page 18-21



9 MARKER LAMPS

Page 22-23



10 INTERIOR LIGHTS

Page 24-25



11 CABLE & ACCESSORIES

Page 26-27

NEED HELP ON HOW TO CHOOSE YOUR DURITE LIGHTS?

Here's what to look out for on **Page 28**.

1 LED WORK LAMPS

Suitable for the rear of your cab or van.



NEW TO THE RANGE

0-421-70 | UNIVERSAL
15W, IP67/69K, 2013Lm, 60° Flood beam

0-421-10 | 240° WIDE ANGLE
54W, IP67, 4000Lm, Flood beam, CISPR25

0-421-34 | SQUARE
0-421-35 | ROUND
36W, IP68, 3200Lm, Flood beam

R10 ADR LED WORK LAMPS

0-421-21 | ROUND
0-421-20 | SQUARE
27W, IP67/69K, 2430Lm

12/24V DUAL LED WORK LAMPS WITH WARNING LIGHT

0-420-08 | SQUARE
0-420-09 | ROUND
45W, IP67/69K, 4000Lm

0-420-11
80W, IP67/69K, 6431Lm

SUPER POWERFUL HIVE LENS WORK LAMPS

✓ 2150Lm
✓ 24W
✓ IP67

0-420-35

✓ 2500Lm
✓ 30W
✓ IP67

0-420-34
0-420-04 WITH SWITCH

SUPER BRIGHT COB LED WORK LAMPS

✓ 12/24V
✓ 4500Lm
✓ IP69K

0-420-87 | ROUND
0-420-86 | SQUARE

LED FLOOD/SPOT WORK LAMP BAR

- ✓ 100 x 3W LEDs
- ✓ 20,000 Lumens
- ✓ Protected to IP69K
- ✓ Flood/spot combo beam
- ✓ EMC approved
- ✓ H 111.2 x W 1380 x D 86.5mm



Super bright
20,000
Lumens



0-420-94 | 4FT WORK LAMP BAR



Powerful

CREE LED WORK LAMP LIGHT BARS



- ✓ 12/24V
- ✓ IP67
- ✓ Up to 6080Lm

0-420-88 | 8-LED
0-420-89 | 16-LED

2 Mounting options,
surface or bracket.



NEW TO THE RANGE

HEAVY-DUTY WORK LAMPS



- ✓ Flood/Spot combo
- ✓ 6 x 5W & 4 x 10W
- ✓ 3000Lm
- ✓ IP67/69K

0-421-31



- ✓ 80W
- ✓ 5000Lm
- ✓ IP67/69K
- ✓ 2-PIN DT connector

✂ Uses DT connector 0-011-42.

0-421-32



- ✓ 50W
- ✓ 2800Lm
- ✓ IP67/69K
- ✓ 2-PIN DT connector

✂ Uses DT connector 0-011-42.

0-421-30



GREAT VALUE LED WORK LAMPS - 12/24V

- ✓ CISPR12 Level 3



0-420-45 | 6-LED
18W, IP67, 1300Lm



0-420-44 | 5-LED
15W, IP67, 1000Lm



0-420-47 | 9-LED
27W, IP67, 1800Lm



0-420-46 | 9-LED
27W, IP67, 1800Lm

POWERFUL OSRAM LED HEAVY-DUTY WORK LAMP



- ✓ 80W
- ✓ 10-30V
- ✓ IP68/69K
- ✓ 8800Lm

✂ Uses DT connector 0-011-42.

0-420-32

SMALL & POWERFUL CREE LED WORK LAMP



- ✓ 90W
- ✓ 10-40V
- ✓ IP67
- ✓ 7050Lm

0-420-82

UNIVERSAL OSRAM LED WORK LAMP



- ✓ 15W
- ✓ IP69K
- ✓ 1900Lm



90° BRACKET FOR FIXING HORIZONTAL OR VERTICAL

0-420-70

COMPACT CREE LED WORK LAMP



- ✓ 18W
- ✓ 10-40V
- ✓ IP68
- ✓ 1500Lm
- ✓ L 76 x W 42 x D 90mm

0-420-78

CREE LED WORK LAMP BAR



0-420-92 | FLOOD
0-420-93 | SPOT
10-30V, IP67, 2700Lm

FLOOD BEAM WORK LAMP WITH WARNING LIGHT



0-420-15 | FLOOD
10-30V, IP67/69K, 1325Lm

POWERFUL CREE LED WORK LAMP BAR



0-420-90 | FLOOD
0-420-91 | SPOT
12/24V, IP67, 4050Lm

DURITE SPOT LIGHT BARS

Order your free mini catalogue CATSPOTBARS.



durite.co.uk

1 LED WORK LAMPS

Suitable for the rear of your cab or van.



SMALL & COMPACT POWERFUL RANGE



SQUARE

10W, IP68, 800Lm
CREE LED work lamp
 0-420-22 | FLOOD
 0-420-23 | SPOT



ROUND

10W, IP68, 800Lm
CREE LED work lamp
 0-420-24 | FLOOD
 0-420-25 | SPOT



ROUND | MAGNETIC

30W, IP68, 2000Lm
CREE LED work lamp
 0-420-30 | FLOOD



ROUND

30W, IP68, 2000Lm
CREE LED work lamp
 0-420-31 | FLOOD



RECTANGULAR

20W, IP68, 1600Lm
OSRAM LED work lamp
 0-420-26 | FLOOD



RECTANGULAR

30W, IP68, 2400Lm
OSRAM LED work lamp
 0-420-27 | FLOOD



SQUARE

40W, IP68, 3200Lm
OSRAM LED work lamp
 0-420-74 | FLOOD



✂ Uses DT connector 0-011-42.

✂ Uses DT connector 0-011-42.

✂ Uses DT connector 0-011-42.

OVAL WORK LAMP WITH DT CONNECTOR



✂ Uses DT connector 0-011-42.

0-420-18 | OVAL BEZEL
 0-420-19 | SINGLE BOLT
 24W, IP68, 1680Lm, Flood beam



SUPER BRIGHT CREE LED WORK LAMPS



0-420-76 | FLOOD
 0-420-77 | SPOT
 48W, IP67, 3800Lm



LED WORK LAMPS

✓ 10-60V
 ✓ IP67

0-420-61 | 2000LM
 0-420-60 | 1000LM



POWERFUL LED WORK LAMPS

0-420-66 | SQUARE
 0-420-67 | ROUND
 12/24V, IP67, 2150Lm





MAGNETIC RECHARGEABLE LED WORK LAMP

"TWO SELECTABLE LIGHT COLOURS
AMBER OR WHITE FULL OR 30%"



AMBER WARNING LIGHT

0-541-31 | DUAL COLOUR
15W, IP65, 1000Lm



360° SWIVEL LED WORK LAMP



- ✓ 45W
- ✓ IP69K
- ✓ 4950Lm

0-420-37 | SWIVEL BRACKET



360° ROTATION



12/24V LED WORK LAMPS



0-420-71 | SINGLE BOLT

0-420-72 | MAGNETIC BASE
12/24V, IP67, 1350Lm



COMBO BEAM OVAL WORK LAMP



0-420-43
36W, IP67, 3060Lm



WORK LAMP WITH DT CONNECTOR



✂ Uses DT connector 0-011-42.

0-420-41 | 4" SQUARE
27W, IP69K, 2400Lm



LED WORK LAMP WITH HANDLE



- ✓ 27W LED
- ✓ 2430Lm
- ✓ Protected to IP67

New to the range

0-420-62 | FLEXI-DIN



"HANDLE FOR EASY
ANGLE ADJUSTMENTS"

12/24V LED WORK LAMP



0-420-79 | MAGNETIC BASE
12/24V, IP67, 2600Lm

12/24V LED WORK LAMP



0-420-68 | MAGNETIC BASE
12/24V, IP67, 900Lm

WORK LAMP WITH DT CONNECTOR



✂ Uses DT connector 0-011-42.

0-420-33 | WITH DT CONNECTOR
40W, IP68, 3200Lm



BLUETOOTH CONTROL BOX

See page 26

- ✓ 50m transmission distance
- ✓ Control driving lights, warning lights & work lights

✂ Works with all Durite lights 20A Max.



durite.co.uk

2 DRIVING LAMPS & HEADLAMPS


Suitable for the front of your cab or van.

NEW TO THE RANGE

LED DRIVING WORK LAMP BARS WITH POSITION LAMP AND DT



- ✓ 12/24V
- ✓ With 3-PIN DT connector
- ✓ Position lamp
- ✓ Protected IP67



White position light

PART NO.	SIZE	DRIVING	POSITION	LUMENS
0-421-40	L 293 x W 80 x H 83.5mm	60W	14 x 0.2W	6000Lm
0-421-41	L 1170 x W 80 x H 83.5mm	270W	63 x 0.2W	27,000Lm

✂ Uses DT connector 0-011-42.


LED DRIVING LAMP BARS WITH AMBER WARNING LIGHT & DRL

- ✓ Super powerful OSRAM LEDs
- ✓ With 6-PIN DT connector
- ✓ Protected IP69K



✂ Uses DT connector 0-011-46.

PART NO.	SIZE	DRIVING	DRL	WARNING	LUMENS
0-420-12	L 560.6 x W 67.3 x H 70mm	200W	30 LEDs	40 LEDs	16,800Lm
0-420-17	L 375 x W 67.3 x H 70mm	120W	18 LEDs	24 LEDs	10,080Lm



DRL



Warning

LED DRIVING WORK LAMP BAR



✂ Uses DT connector 0-011-43.

0-420-16
ROAD LEGAL LED WORK LAMP BAR
120W, IP67, 12,000Lm

Powerful

60W ROAD LEGAL LED WORK/DRIVING LAMP




L 353 x W 68 x H 55 mm



0-420-96 | ULTRA BRIGHT
60W, IP68, 5400Lm

Powerful



9" LED DUAL FUNCTION DRIVING LAMPS

- ✓ 65W, 6400Lm
- ✓ DT connector
- ✓ Daytime running light (DRL)
- ✓ Protected IP66



✂ Uses DT connector 0-011-44.

0-420-29 | HIGH/POSITION BEAM



- ✓ 60W, 6000Lm
- ✓ CREE LEDs
- ✓ DT connector
- ✓ Protected IP67



✂ Uses DT connector 0-011-43.

0-420-28 | HIGH/POSITION BEAM



5" DRIVING LAMP WITH 140° FLOOD BEAM

- ✓ 61W, 6920Lm
- ✓ DT connector
- ✓ Protected IP67/69K



✂ Uses DT connector 0-011-42.

0-420-13 | FLOOD



AUXILIARY DRIVING LAMPS



0-537-47 | 7" 18 LEDS
90W, IP68, 7200Lm

0-537-49 | 9" 30 LEDS
150W, IP68, 12,000Lm



LED HEADLAMPS WITH DI & DRL

- ✓ High beam 2 x 30" (3500Lm)
- ✓ Low beam 1 x 30W (2500Lm)
- ✓ Direction Indicator 12 x 1W
- ✓ Daytime Running Lamp 2 x 5W
- ✓ With 6-PIN DT connector
- ✓ Protected IP68



✂ Uses DT connector 0-011-46.

0-422-20 | RIGHT SIDE HEAD LIGHT (RHD)

0-422-21 | LEFT SIDE HEAD LIGHT (RHD)

✂ Available for Left Hand Drive (LHD) Vehicles
0-422-22 - Right side head light | 0-422-23 - Left side head light.

7" 70W LED HEADLAMP

- ✓ 70W Main beam, 4500Lm
- ✓ 55W Dipped beam, 3850Lm
- ✓ 3W Position light
- ✓ Protected IP67



✂ H4 to H13 adaptor included.

0-422-55 | ROUND



Super bright



LOOKING FOR CONNECTORS?

See page 26-27



durite.co.uk

3 REVERSING LAMPS

Suitable for the back of your cab, truck & trailer or van.



LED REVERSING WORK LAMPS

✓ 9-32V, square or round



"ULTIMATE LIGHT DISTRIBUTION"



0-420-02 | ROUND
0-420-06 | SQUARE
 12W, 12 LEDs, IP68, 900Lm



0-420-03 | ROUND
0-420-07 | SQUARE
 16W, 16 LEDs IP68, 1200Lm

R10 ADR LED REVERSE WORK LAMPS



0-421-22 | 16-LED ADR

- ✓ 48W
- ✓ 4320Lm
- ✓ IP67/69K
- ✓ DT connector



0-421-25 | 8-LED ADR

- ✓ 24W
- ✓ 2160Lm
- ✓ IP67/69K
- ✓ DT connector

REVERSING WORK LAMP



- ✓ Flood/Spot combo
 - ✓ 16 x 3W LEDs
 - ✓ 1600Lm
 - ✓ IP69K
- 0-420-48**

COMPACT REVERSE WORK LAMP



- ✓ 6 x 3W LEDs
 - ✓ 1440Lm
 - ✓ IP68
- 0-420-39**

REVERSE WORK LAMP




- ✓ 6 x 3W LEDs
 - ✓ 1440Lm
 - ✓ IP68
- 0-420-38**

NEW TO THE RANGE


LED REVERSE/ MARKER LAMP

COMING SOON



- ✓ 6 Reverse, 6 Warning LEDs
 - ✓ Up to 1500Lm
 - ✓ IP67
- 0-421-50**

LOOKING FOR REFLEX REFLECTORS,
WE HAVE A RANGE OF AMBER, RED & CLEAR
 Visit durite.co.uk for the full range.



durite.co.uk

4 FORKLIFT LAMPS

Suitable for the front and back of your forklift.



NEW TO THE RANGE

PROGRESSIVE ARROW FORKLIFT LAMP



0-420-80 | PROGRESSIVE ARROW
27W, IP67, Blue arrow



COMING
SOON

LINE FORKLIFT LAMPS



0-420-49 | BLUE LINE
10-80V, IP67, 69Lm



0-420-85 | RED LINE
10-80V, IP67, 133Lm



SPOT FORKLIFT LAMPS

0-420-75 | BLUE SPOT
10-48V, IP68, 1000Lm




0-420-83 | RED SPOT
10-48V, IP68, 500Lm



ARC FORKLIFT LAMPS



0-420-21 | BLUE ARC
10-80V, IP67, 'U' shape outline to cover 180° zone



0-420-42 | RED ARC
10-80V, IP67, 'U' shape outline to cover 180° zone




ARROW FORKLIFT LAMPS



0-420-84 | BLUE ARROW
10-60V, IP67, visible up to 15m



0-420-14 | RED ARROW
10-60V, IP67, visible up to 15m



🔧 **DURITE HAVE A RANGE OF NUMBER PLATE LIGHTS
FROM LOW PROFILE, PLASTIC AND CHROME**

Visit durite.co.uk for the full range.



durite.co.uk


5 LED LIGHT BARS

Suitable for the front of your cab or van.



R65 AMBER LED LIGHT BARS - 12/24V

✓ 12/24V, 10 flash patterns, IP67



0-443-44 | 4-BOLT
1ft (286mm)



0-443-45 | MAGNETIC
1ft (276mm)



0-443-46 | 1-BOLT
1ft (276mm)



0-443-85 | MAGNETIC
1ft (345mm)

0-443-40 | 4-BOLT
2ft (760mm)



0-443-41 | 4-BOLT
3ft (980mm)



0-443-42 | 4-BOLT
4ft (1200mm)



0-443-43 | 4-BOLT
5ft (1420mm)



R65 AMBER LENS LED LIGHT BARS



0-443-48 | 2FT (760MM)
4-bolt amber lens, 10 flash patterns



0-443-49 | 4FT (1200MM)
4-bolt amber lens, 10 flash patterns

R10 4FT LED LIGHT BAR - 12/24V STOP/TAIL/DIRECTION INDICATOR



Direction indicator



Stop/Tail



0-443-51 | 4FT (1200MM)
4-bolt, IP67 10 flash patterns

1FT AMBER LED LIGHT BARS

✓ 12/24V, 10 flash patterns



0-443-01 | SINGLE BOLT
0-443-02 | MAGNETIC
72W, 24 LEDs, IP65, 1ft (280mm)



0-443-17 | SINGLE BOLT
0-443-18 | MAGNETIC
90W, 30 LEDs, IP65, 0.75ft (260mm)



0-443-60 | SINGLE BOLT
0-443-65 | MAGNETIC
12/24V, 60W, 20 LEDs, IP65, 3 flash patterns



1FT R65/R10 LED LIGHT BARS - 12/24V



0-443-82 | MAGNETIC
0-443-81 | SINGLE BOLT
 36 LEDs, IP65, 3 flash patterns

PREMIUM R65/R10 LED LIGHT BARS

✓ 12/24V, 19 flash patterns, IP65



0-443-31 | 4-BOLT
 1ft (356mm)



0-443-32 | 4-BOLT
 2ft (743mm)



0-443-34 | 4-BOLT
 4ft (1183mm)



0-443-33 | 4-BOLT
 5ft (1403mm)

ROTATING LIGHT BAR - 12/24V

✓ 160 ± 30RPM



0-443-12 | 4-BOLT
 L 1200mm x W 210mm x H 140mm

ROTATING LIGHT BAR - 12/24V

✓ 160 ± 30RPM



0-443-00 | 2-BOLT
 L 395mm x W 208mm x H 148mm

AMBER LENS LIGHT BAR

✓ 65FPM



0-443-70 | 2-BOLT
0-443-75 | MAGNETIC
 L 410mm x W 205mm x H 122mm

1FT RECHARGEABLE MAGNETIC LIGHT BAR



0-443-04 | MAGNETIC
 12/24V, 60W, 20 LEDs, IP65, 10 flash patterns

R10 1FT AMBER LED LIGHT BAR



0-443-37 | MAGNETIC
 12/24V, 36W, 72 LEDs, IP67, 10 flash patterns

WANT A LIGHT BAR SWITCH PANEL?


See page 26



durite.co.uk

6 LED BEACONS

Suitable for the front of your cab & rear of your truck, trailer or van.



NEW TO THE RANGE

3-BOLT MINI LED BEACON

"SMALL AND COMPACT, FITS IN THE PALM OF YOUR HAND"



0-445-30 | Ø 96 X H 65MM
15W, IP66, single & double flash patterns



DUAL COLOUR LED BEACON

"ALTERNATE BETWEEN GREEN & AMBER FLASH PATTERNS"



0-445-41 | SINGLE BOLT
0-445-59 | FLEXI-DIN MOUNT
20W, IP65, 3 flash patterns



LOW PROFILE AMBER LED BEACONS

✓ 10-30V, 3 flash patterns, IP65



0-445-36 | SINGLE BOLT



0-445-54 | FLEXI-DIN



R10 AMBER & GREEN LED BEACONS

✓ 12/24V, 3 flash patterns, IP55



3-bolt
0-445-08
4-445-08



Flexi-DIN
0-445-24
4-445-24



Magnetic
0-445-60
4-445-60



Single bolt
0-445-06
4-445-06

MAGNETIC RECHARGEABLE LED BEACON WITH REMOTE CONTROL



0-445-14 | MAGNETIC
Wireless, IP65, 3 flash patterns



R65 LOW PROFILE LED MAGNETIC BEACON



0-445-10 | MAGNETIC
12/24V, IP65, 13 flash patterns



RECHARGEABLE LED MAGNETIC BEACON



0-445-15 | MAGNETIC
12/24V, IP56, Rotating flash 125RPM



CLEAR LENS AMBER LED BEACON



0-445-26 | SINGLE BOLT
10-30V, IP56, 3 flash patterns



AMBER LENS LED BEACON



0-445-27 | 3-BOLT
10-30V, IP65, 3 flash patterns



JUMBO AMBER LED BEACON



0-445-95 | 3-BOLT
10-30V, IP66, 15 flash patterns





NEW TO THE RANGE

AMBER LENS LED BEACON

"PERFECT FOR AREAS WITH LIMITED SPACE"



0-445-78 | 2-BOLT
12/24V, IP67, 3 flash patterns



R65 & R10 AMBER LED BEACONS



- ✓ 45 LEDs
- ✓ 3 flash patterns
- ✓ Protected to IP56

0-444-41 | SINGLE BOLT **0-444-43 | 3-BOLT**
0-444-59 | FLEXI-DIN **0-444-85 | MAGNETIC**

🔧 Multiple coloured lens available visit durite.co.uk



MINI AMBER LED BEACON



0-445-77 | 2-BOLT
12-80V, IP65, 60FPM

SUPER BRIGHT HALOGEN BEACON



0-444-39 | FLEXI-DIN
12/24V, IP56, 160FPM

LOW PROFILE LED BEACON



0-445-85 | 3-BOLT
12-110V, 4 flash patterns

MINI AMBER LED BEACON



0-445-75 | 2-BOLT
12-110V, IP65, 60FPM

AMBER ROTATING BEACONS



0-444-01 | SINGLE BOLT
12/24V, 160 ± 30RPM



0-444-03 | 3-BOLT
12/24V, 160 ± 30RPM



0-444-19 | FLEXI-DIN
12/24V, 160 ± 30RPM



0-444-55 | FLEXI-DIN
12/24V, 160 ± 30RPM



R65 LED SINGLE BOLT BEACON



0-445-16 | SINGLE BOLT
12/24V, IP56, 132FPM



AMBER FLASHING BEACON



0-445-01 | SINGLE BOLT
12/24V, 70FPM



LOW PROFILE LED BEACON



0-445-86 | MAGNETIC
12-110V, 45FPM

SUPER BRIGHT MAGNETIC BEACON




0-444-75 | MAGNETIC
12/24V, IP56, 160FPM



7 WARNING LIGHTS

Suitable for the front, side or rear of your cab, truck, trailer or van.




NEW TO THE RANGE



COMING SOON

0-441-69 | DASH MOUNT AMBER LIGHT
24W, IP67, 20 flash patterns, R65 class 2



0-441-90 | 6-LED AMBER
18W, IP69K, 7 flash patterns, R65 class 2



COMING SOON



0-441-13 | RECTANGLE
0-441-14 | OVAL
12W, IP67, 10 Flash patterns, R65 class 2

LED AMBER WARNING LAMPS

✓ 12/24V, 19 flash patterns, IP67



0-441-76 | 18-LED
L 130 x W 55 x H 10mm



0-441-77 | 24-LED
L 130 x W 65 x H 10mm

LED AMBER HIGH INTENSITY LIGHTS

✓ 12/24V, 8 or 12 flash patterns, IP69K



0-441-63 | 3-LED



0-441-64 | 4-LED



0-441-66 | 6-LED

DUAL FUNCTION LED WARNING LIGHTS

✓ 12/24V, 10 flash patterns, IP67



0-441-55 | STOP/TAIL
0-441-56 | DIRECTION INDICATOR
0-441-57 | SIDE MARKER

LED AMBER WARNING LAMPS

✓ 12/24V, 12 or 19 flash patterns

HORIZONTAL

	3 LEDs	4 LEDs
AMBER	0-442-10	0-442-20
WHITE	0-442-07	0-442-17
RED	0-442-05	0-442-15
BLUE	0-442-02	0-442-12
GREEN	0-442-04	-



✂ Also available in 3 or 4 vertical LEDs.

EMERGENCY WARNING FLARES

✓ Rechargeable, 9 flash patterns, IP67, Magnetic base



0-446-61 | SINGLE FLARE

0-446-60 | 6 FLARES

✂ Store in your cab for placement on and around your stationary vehicle.

R65 HIGH INTENSITY WARNING LIGHTS

✓ 12/24V, 20 flash patterns, IP68, R65 Class 1 & SAE Class 1



3 LEDs



6-LEDs



PART NO.

DESCRIPTION

0-441-00	6 LEDs	Amber	W 113 x L 28.4 x D 9mm
0-441-02	6 LEDs	Blue	W 113 x L 28.4 x D 9mm
0-441-05	6 LEDs	Red	W 113 x L 28.4 x D 9mm
0-441-07	6 LEDs	White	W 113 x L 28.4 x D 9mm
0-441-15	6 LEDs	Red/Amber	W 113 x L 28.4 x D 9mm
0-441-25	6 LEDs	Red/Blue	W 113 x L 28.4 x D 9mm
0-441-30	3 LEDs	Amber	W 75 x L 28.1 x D 10mm
0-441-32	3 LEDs	Blue	W 75 x L 28.1 x D 10mm
0-441-35	3 LEDs	Red	W 75 x L 28.1 x D 10mm



NEW TO THE RANGE

COMING
SOON



0-441-81 | 6-LED, 6W

0-441-82 | 8-LED, 8W

0-441-83 | 12-LED, 12W

IP67/69K, 11 Flash patterns, R65 class 1



0-441-68 | 32" WARNING LIGHT BAR
30W, IP65, 10 Flash patterns



R10 WARNING LIGHTS

✓ 12/24V, 19 flash patterns, IP67



	AMBER	RED
12 LEDs	0-441-74	-
6 LEDs	0-441-70	0-441-75
4 LEDs	0-441-72	-

R65 CLASS 2 WARNING LIGHT



0-441-20 | 12-LED

36W, IP69K, 19 Flash patterns



R65 CLASS 1, SAE CLASS 1 WARNING LIGHT



0-441-40 | MINI 25MM

9W, IP68, 20 Flash patterns

R65 MICRO AMBER WARNING LIGHT



0-441-41 | MICRO

6W, IP67, 36 Flash patterns

R10 HIGH INTENSITY WARNING LIGHT



0-442-29 | AMBER

18W, IP67, 6 Flash patterns



R65 HIGH INTENSITY WARNING LIGHT



0-441-12 | 12-LED AMBER

60W, IP67, 10 Flash patterns



R65 CLASS 1 WARNING LIGHT



0-441-80 | SLIMLINE

18W, IP67, 29 Flash patterns



R65 AMBER WARNING LIGHT



✂ 360° coverage with 4.

0-441-60 | CORNER LIGHT

18W, IP67, 10 Flash patterns

NEW TO THE RANGE



✂ 360° coverage with 4.

0-441-61 | CORNER LIGHT

15W, IP67, 36 Flash patterns

R65 AMBER WARNING LIGHT



0-442-00 | 12-LED SQUARE

8.5W, IP67, 10 Flash patterns

R65 CLASS 1, SAE CLASS 1 WARNING LIGHT



0-441-50 | LOW PROFILE

18W, IP67, 10 Flash patterns



R65 HIGH INTENSITY WARNING LIGHTS



0-442-11 | 3-LEDS

12/24V, IPX8, 12 Flash patterns

0-442-21 | 4-LEDS

12/24V, IPX8, 19 Flash patterns



0-441-65 | 3 RED & 3 AMBER LEDES

IP67, 19 Flash patterns

0-441-67 | 3 AMBER & 3 WHITE LEDES

12/24V, IP67, 19 Flash patterns

8 REAR COMBO


Suitable for the rear of your cab, truck, trailer or van.



NEW TO THE RANGE

5-FUNCTION RECHARGEABLE MAGNETIC WIRELESS LAMPS

- ✓ Stop/Tail/DI/Registration/Reflector
- ✓ 20m control distance
- ✓ Suitable for trailers



0-300-40 | 12V LEFT & RIGHT SIDE

5-FUNCTION REAR COMBO LAMP

- ✓ Stop/Tail/DI/Registration/Reflector
- ✓ Protected to IP67



0-295-65 | UNIVERSAL

4-FUNCTION REAR COMBO LAMP

- ✓ Rear fog/Tail/Reverse/Reflector
- ✓ Protected to IP67




0-295-66 | UNIVERSAL



NEW TO THE RANGE

COMING SOON



- ✓ 12/24V, IP69K

0-294-20 | STOP/TAIL

0-294-21 | INDICATOR

0-294-23 | REVERSE

0-294-24 | STOP/TAIL/DI



NEW TO THE RANGE



Reverse & DI

Stop

Reverse & Stop

Direction Indicator

All Functions



- ✓ 12/24V, IP65

- ✓ Stop/Tail/DI/Reverse

0-071-30 | 32" SLIM LAMP BAR

7-FUNCTION LED TRAILER REAR LAMPS

- ✓ Stop/Tail/Progressive DI/Fog/Reverse/Reflector/Reg
- ✓ Protected to IP65



0-071-20 | RIGHT

0-071-21 | LEFT

L 245 x W 41 x H 150mm

24V 7-FUNCTION LED COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/Fog/Reverse/Reflector/Reg
- ✓ Protected to IP65
- ✓ Renault / Volvo



0-071-40 | RIGHT

0-071-41 | LEFT

L 500 x W 130 x H 86mm

6-FUNCTION LED REAR LAMPS

- ✓ Stop/Tail/Progressive DI/Fog/Reverse/Reflector
- ✓ Protected to IP67



0-071-65 | UNIVERSAL

L 284 x W 100 x H 32mm

🔧 **LOOKING FOR OUTLINE OR LED MARKER LAMPS?** Go to page 22-23 or view the full range at durite.co.uk



12/24V 6 OR 7-FUNCTION LED COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/ Fog/ Reverse/Reflector/Side marker
- ✓ Mercedes Sprinter / VW



0-081-02 | RIGHT
0-081-03 | LEFT
 L 400 x W 160 x H 88.5mm

24V 8-FUNCTION LED COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/Fog/Side marker/DI/ Reflector/Reverse/Reg



0-069-50 | RIGHT
0-069-51 | LEFT
 L 515 x W 90 x H 130mm

12/24V 5-FUNCTION LED COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/Reflector/Reverse
- ✓ IP67



0-300-20 | RIGHT
 L 296 x W 30 x H 94mm

12/24V 6-FUNCTION COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/Fog/Reflector/Reg
- ✓ Protected to IP65



0-300-60 | RIGHT
0-300-61 | LEFT
 L 172 x W 40 x H 152mm

12/24V 6-FUNCTION COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/Progressive DI/Fog/ Reverse/Reflector
- ✓ Protected to IP67



0-071-60 | RIGHT
0-071-61 | LEFT
 L 284 x W 100 x H 37mm

12/24V UNIVERSAL LED REAR COMBINATION LAMP

- ✓ Stop/Tail/DI/Fog/Reverse/ Reflector
- ✓ Protected to IP67



0-071-10 | UNIVERSAL
 L 350 x W 85 x H 128mm

12/24V 8-FUNCTION COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/Fog/Reflector/Side Marker/Reverse/Reg
- ✓ Mercedes Actros



Actros



0-074-00 | RIGHT
0-074-01 | LEFT
 L 515 x W 90 x H 130mm

6-FUNCTION COMMERCIAL REAR LAMPS

- ✓ Stop/Tail/DI/Fog/Reverse/Reflector
- ✓ Replaces Iveco Daily, 6-PIN plug



0-077-02 | RIGHT
0-077-03 | LEFT
 L 303 x W 85 x H 130mm

24V 6-FUNCTION LED REAR COMBINATION LAMP

- ✓ Stop/Tail/DI/Fog/Reverse/Reflector



0-085-50 | UNIVERSAL
0-086-50 | WITH NPL
 L 341 x W 61 x H 132mm

12/24V 4-FUNCTION COMBINATION REAR LAMPS

- ✓ Stop/Tail/DI/Reflector
- ✓ Iveco Daily



Daily



0-076-00 | RIGHT
0-076-01 | LEFT
 L 300 x W 105 x H 128mm

12/24V 4-FUNCTION UNIVERSAL REAR LAMP

- ✓ Stop/Tail/DI/Reg



0-300-00 | UNIVERSAL
 L 167 x W 50 x H 82.5mm

12/24V 4-FUNCTION COMMERCIAL REAR LAMP

- ✓ Stop/Tail/DI/Reflector



0-300-30 | UNIVERSAL
 L 150 x W 26 x H 80mm

8 REAR COMBO & SINGLE FUNCTION

Suitable for the rear of your cab, truck, trailer or van.

12/24V 5-FUNCTION LED REAR LAMP

- ✓ Stop/Tail/Progressive DI/Reverse/Reflector
- ✓ Protected to IP67



0-071-55 | UNIVERSAL
L 220 x W 100 x H 34.4mm

12/24V 5-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/Indicator/Reg/Reflector
- ✓ Protected to IP66



0-294-80 | UNIVERSAL
L 111 x W 101 x H 50mm

12/24V 5-FUNCTION TRAILER LAMPS

- ✓ Stop/Tail/DI/Reg/Reflector
- ✓ Suitable for trailers & vehicles



0-294-60 | RIGHT
0-294-61 | LEFT
L 118 x W 46 x H 50mm

12/24V 4-FUNCTION LED REAR LAMP

- ✓ Stop/Tail/DI/Reflector
- ✓ Protected to IP67



0-300-75 | UNIVERSAL
L 245 x W 31.5 x H 109mm

12/24V 4-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/DI/Reflector
- ✓ Protected to IP67



0-300-25 | UNIVERSAL
L 195 x W 30 x H 94mm

12/24V 5-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/DI/Fog/Reverse
- ✓ Protected to IP67



0-071-01 | UNIVERSAL
L 350 x W 85 x H 128mm

12/24V 4-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/DI/Reflector
- ✓ Protected to IP67



⚡ Uses DT connector 0-011-44.

0-295-00 | UNIVERSAL
0-295-50 | JCB CONNECTOR
L 200 x W 60 x H 92mm

12/24V 3-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/DI
- ✓ Protected to IP68



0-097-30 | UNIVERSAL
Ø 140 x D 100mm

12/24V 3-FUNCTION COMBINATION REAR LAMPS

- ✓ Protected to IP68



0-767-60 | STOP/TAIL/DI
0-767-70 | TAIL/FOG/REVERSE
Ø 95mm

12/24V 4-FUNCTION LED REAR LAMP

- ✓ Stop/Tail/DI/Reflector
- ✓ Protected to IP67



0-300-10 | UNIVERSAL
L 157.5 x W 30.9 x H 81.2mm

12/24V 3-FUNCTION LED COMBINATION REAR LAMP

- ✓ Stop/Tail/DI
- ✓ Protected to IP67




0-294-75 | UNIVERSAL
L 95 x W 32 x H 95mm

12/24V 4-FUNCTION COMBINATION REAR LAMP

- ✓ Stop/Tail/DI/Reverse
- ✓ Protected to IP67



0-300-14 | RIGHT
0-300-15 | LEFT
L 200 x W 25 x H 50mm



95MM LED REAR LAMPS

- ✓ Ø 95mm
- ✓ 12/24V
- ✓ Protected to IP67
- ✓ E-Marked



SINGLE FUNCTION

- ❶ STOP/TAIL | 0-767-44
- ❷ INDICATOR | 0-767-41
- ❸ REAR FOG | 0-767-42
- ❹ REVERSE | 0-767-43

THREE FUNCTION

- ❺ STOP/TAIL/DIRECTION INDICATOR | 0-767-40



140MM LED REAR LAMPS

- ✓ Ø 140mm
- ✓ 12/24V
- ✓ Protected to IP67
- ✓ E-Marked



SINGLE FUNCTION

- ❶ STOP/TAIL | 0-097-54
- ❷ INDICATOR | 0-097-51
- ❸ REAR FOG | 0-097-52
- ❹ REVERSE | 0-097-53

THREE FUNCTION

- ❺ STOP/TAIL/DIRECTION INDICATOR | 0-097-50

FIVE FUNCTION

- ❻ STOP/TAIL/DI/REVERSE/FOG | 0-097-55



LED REAR TAIL LAMPS

- ✓ 12/24V
- ✓ PC Lens & ABS housing
- ✓ Protected to IP67
- ✓ E-Marked



SINGLE FUNCTION


- AMBER INDICATOR | 0-294-31
- RED STOP & TAIL | 0-294-30
- RED FOG | 0-294-32
- WHITE REVERSING | 0-294-33



L 94 x W 94 x D 29mm


🔧 **LOOKING FOR MORE REAR COMBINATION LAMPS OR SINGLE FUNCTION LAMPS?**

Visit durite.co.uk for the full range.



9 MARKER LAMPS

Suitable for the rear or side of your cab, truck, trailer or van.



LED OUTLINE MARKER LAMP WITH PARKING SENSOR



WITH PARKING SENSOR



0-172-80 | RIGHT
0-172-81 | LEFT
12/24V, IP68, Sensor distance up to 2m

LED LONG OUTLINE MARKER LAMP



0-172-75 | RIGHT
0-172-76 | LEFT
12/24V, IP68, Red/white/amber LED

LED OUTLINE MARKER LAMP



0-172-85 | RIGHT
0-172-86 | LEFT
0-172-71 | UNIVERSAL
12/24V, 1.8W, IP67

ADR LED MARKER LAMPS



0-169-00 | CLEAR FRONT
0-169-05 | RED REAR
0-169-10 | AMBER SIDE
12/24V, IP68, SMD LEDs

LED MARKER LAMPS



0-170-80 | CLEAR FRONT
0-170-85 | RED REAR
0-170-90 | AMBER SIDE
12/24V, IP67, SMD LEDs

LED HALO RING MARKER LAMPS



0-171-80 | CLEAR FRONT
0-171-75 | RED REAR
0-171-70 | AMBER SIDE
12/24V, IP67, 2 SMD LEDs & halo rings

24V LED MARKER LAMPS



⚡ Uses DT connector 0-011-62.

0-168-55 | RED REAR
0-168-60 | AMBER SIDE

12/24V LED MARKER LAMPS



0-170-60 | CLEAR FRONT
0-170-65 | RED REAR
0-170-70 | AMBER SIDE

12/24V LED MARKER LAMPS



⚡ Uses DT connector 0-011-62.

0-170-00 | CLEAR FRONT
0-170-05 | RED REAR
0-170-10 | AMBER SIDE
0-170-04 | GREEN ABS





24V LED MARKER LAMPS



✚ With screw cable connections.

0-169-50 | CLEAR FRONT
0-169-55 | RED REAR
0-169-60 | AMBER SIDE



12/24V LED MARKER LAMPS

✓ IP67, ECE approved, L 121 x W 17 x H 44mm



	WITH SUPERSEAL PLUG*	WITH LEADS
Clear front	0-171-00	0-171-50
Red rear	0-171-05	0-171-55
Amber side	0-171-10	0-171-60
Amber (with bracket)	0-171-11	0-171-61

✚ Requires Connector
0-011-62.

12/24V LED MARKER LAMPS



	12V	24V
Clear front	0-167-00	-
Red rear	0-167-05	0-167-55
Amber side	0-167-10	0-167-60

CAT 6 LED SIDE MARKER REPEATER



0-170-40 | SIDE
 9-33V, IP67, E-Marked



HEAVY-DUTY TAIL LIFT LAMP



0-170-45 | TAIL LIFT
 12/24V, IP67, 18 flash patterns

12/24V ROUND MARKER LAMPS

- ✓ Protected IP68
- ✓ Supplied with 50mcm flying leads



0-172-40 | RIGHT
0-172-41 | LEFT
 Short bent arm, L 146 x W 32 x H 145mm

0-172-45 | RIGHT
0-172-46 | LEFT
 Long bent arm, L 181 x W 32 x H 145mm



0-172-30 | RIGHT
0-172-31 | LEFT
 Short angled arm, L 109 x W 32 x H 138mm

0-172-35 | RIGHT
0-172-36 | LEFT
 Long angled arm, L 168 x W 32 x H 154mm

0-172-20 | UNIVERSAL
 Short straight arm, L 90 x W 32 x H 85mm

0-172-25 | UNIVERSAL
 Long straight arm, L 131 x W 32 x H 85mm

10 LED INTERIOR LIGHTS

Suitable for the inside of your cab, truck, trailer or van.



NEW TO THE RANGE



- 0-668-82 | 75MM, 480LM, IP67
- 0-668-83 | 95MM, 840LM, IP67
- 0-668-84 | 120MM, 1080LM, IP67
- 0-668-85 | 143MM, 1560LM, IP67

COMING
SOON



L 251 x W 38 x D 53mm

0-668-65 | **SCENE LIGHT**
40W, 3200Lm, IP67

LED INTERIOR LAMPS

- ✓ 12/24V, IP67
- ✓ Perfect for refrigerated vehicles

0-668-92 | **WITH PIR SWITCH**
195LM, L 160 x W 54 x D 12mm

0-668-53 | **45° SCENE LIGHT**
580LM, L 300 x W 60 x H 34mm



LED ROOF LAMPS WITH SWITCH



0-668-80 | **18-LEDS, 1200LM**
L 400 x W 17 x H 25mm



0-668-81 | **9-LEDS, 600LM**
L 245.1 x W 17 x H 25mm



0-668-05 | **LED DOWNLIGHTER**
192Lm, IP66, Ø 69 x D 9.6mm



0-668-18 | **LED ROOF LAMP**
1400Lm, IP67, Ø 160.2 x D 14.1mm



0-668-14 | **LED ROOF LAMP**
480Lm, L 129 x W 77 x H 21mm



0-668-04 | **LED DOWNLIGHTER**
Ø 77 x D 26mm



0-668-11 | **ROUND ROOF LAMP**
665Lm, Ø 75 x D 8.7mm



0-668-13 | **INTEGRAL ROCKER SWITCH**
340Lm, Ø 107 x D 23mm



0-668-10 | **SLIM ROOF LAMP**
576Lm, IP66, Ø 129 x D 9mm



0-668-25 | **SLIM ROOF LAMP**
672Lm, L 293 x W 93 x D 15mm

LINEAR LED BATTEN INTERIOR LIGHTS

- ✓ Ultra bright white SMD LEDs
- ✓ Protected to IP67
- ✓ 1ft, 2ft & 4ft
- ✓ E-Marked R10 approved

With switch

- 0-668-21 | 1FT, 400LM
- 0-668-22 | 2FT, 790LM
- 0-668-23 | 4FT, 1200LM

No switch

- 0-668-41 | 1FT, 400LM
- 0-668-42 | 2FT, 790LM
- 0-668-43 | 4FT, 1200LM



On/Off
Switch



Linear
SMD LEDs



L 380 x W 25 x H 13 mm



L 620 x W 25 x H 13 mm



L 1120 x W 25 x H 13 mm



LED SCENE LIGHTS

- ✓ 10-30V
- ✓ 6500K cool white LEDs
- ✓ 1W SMD LEDs
- ✓ Protected to IP68
- ✓ 40° angle scene light
- ✓ E-Marked R10 EMC



0-668-55 | 9W LED

725Lm, L 129 x W 68 x H 46mm



0-668-56 | 18W LED

1450Lm, L 229 x W 68 x H 46mm



0-668-57 | 27W LED

2175Lm, L 329 x W 68 x H 46mm



0-668-66 | LED EXTERIOR LAMP

400Lm, L 202 x W 72 x H 35mm



0-668-30 | WITH SWITCH

960Lm, L 175 x W 175mm x H 23mm



0-668-40 | LED SLIM ROOF LAMP

1150Lm, IP66, Ø 197 x D 10mm



0-668-06 | LED ROOF LAMP

410Lm, IP67, Ø 155 x D 15.7mm



0-743-23 | PIR SENSOR

90° Detection angle, IP67



L 368 x W 45 x D 10mm

0-668-37 | LINEAR ROOF LAMP

Integral switch, 1060 Lux



0-668-27 | NO SWITCH

0-668-29 | PIR SWITCH

1780Lm, IP67, Ø 130 x D 16.5mm



0-668-32 | 210LM

L 160 x W 40 x H 24mm



0-668-33 | 430LM

L 260 x W 40 x H 24mm



0-668-34 | 1120LM

L 560 x W 40 x H 24mm



0-668-67 | NO SWITCH

0-668-68 | TOUCH BUTTON

950Lm, L 135.8 x W 65.8 x D 16mm



0-668-87 | NO SWITCH

0-668-88 | TOUCH BUTTON

0-668-89 | PIR SWITCH

1330Lm, L 186 x W 65.8 x D 16mm



0-668-93 | NO SWITCH

550Lm, IP67, L 320 x W 54 x H 12mm



0-668-95 | BATTEN ROOF LAMP

820Lm, IP67, L 600 x W 54 x H 12mm



0-668-35 | BATTEN ROOF LAMP

2500 Lux, L 588 x W 40 x H 22mm

- ✓ 12 LEDs, 6 Red LEDs - night facility

0-669-13 | 12V LED MAP LIGHT

0-669-25 | 24V LED MAP LIGHT

Switch on lamp head with 325mm flexible arm



11 CABLE & ACCESSORIES

Your one-stop shop for your vehicle needs.

CABLE

SINGLE CORE CABLE BS6862

CROSS SECTION	COLOUR	50M
1mm ²	Black	0-942-01
	Red	0-942-05
2mm ²	Black	0-943-01
	Red	0-943-05

TWIN CORE CABLE

BS6862 or Thin Wall ISO6722:2006 Class B

CROSS SECTION	COLOUR	30M
1.0mm ² , thin wall	Red/Black	0-951-50
1.0mm ²	Red/Black	0-952-51
2.0mm ² , thin wall	Red/Black	0-953-50
2.0mm ²	Red/Black	0-953-00

MULTI CORE CABLE

BS6862 or Thin Wall ISO6722:2006 Class B

CROSS SECTION	10M	30M
4 x 1mm ² thin wall	-	0-993-50
6 x 1mm ² x 1 x 2mm ²	0-997-05	0-997-00
7 x 0.75mm ² , thin wall	-	0-997-60
8 x 1.5mm ² / 5 x 2.5mm ² thin wall	0-999-63	-
5 x 1.5mm ² / 2 x 4mm ² thin wall	-	0-997-20



Looking for more cable? Durite offer over 400 cables, visit durite.co.uk to see more of the range.

POWER CABLES



Rated at 175A, 3M cable

0-733-36 | WITH GREY HIGH CURRENT CONNECTORS

0-733-37 | WITH RED HIGH CURRENT CONNECTORS



Rated at 170A, with high current connectors

4-204-03 | 2M CABLE

4-204-05 | 3M CABLE



Rated at 190A, Siamese battery cable

0-975-35 | 50M COIL

FLEXIBLE STARTER CABLE



CROSS SECTION	COLOUR	10M
35mm ²	Black	0-976-10
	Red	0-976-15
40mm ²	Black	0-982-10
	Red	0-982-15
50mm ²	Black	0-977-10
	Red	0-977-15

NEW TO THE RANGE

- ✓ 50m transmission distance
- ✓ Driving light; on/off & high/low beam control
- ✓ Warning light; on/off & mode control
- ✓ Work light; on/off



Works with all Durite lights 20A Max.

0-443-96 | BLUETOOTH CONTROL PANEL

IP67, L 224 x W 120 x H 44.5mm



Replacement lens for 0-071-02.

0-071-98 | REPLACEMENT LENS

L 350 x W 85 x H 128mm



Works with all Durite lights with adjustable flash patterns.

0-443-98 | 12/24V LIGHT BAR SWITCH PANEL

IP64, L 188 x W 108 x H 58mm



HIGH CURRENT CONNECTORS

Same in fit, form and function but non-original manufacturer

	GREY	RED
DESCRIPTION	QTY 100	QTY 100
Rated 50A	0-431-45	0-432-45
Rated 175A	0-431-55	0-432-55



✂ Larger quantities available

Original manufacturer

	GREY	RED
RATING	QTY 1	QTY 1
Rated 50A	0-431-05	0-432-05
Rated 120A	0-431-20	0-432-20
Rated 175A	-	0-432-75
Rated 350A	0-431-35	0-432-35



SUPERSEAL CONNECTORS

1.5MM BLADE HOUSING

	2-WAY KIT	3-WAY KIT	4-WAY KIT
Male	0-011-52	0-011-53	0-011-54
Female	0-011-62	0-011-63	0-011-64



✓ Qty 4

0-011-95 | MALE 1-2MM² TERMINAL
0-011-96 | FEMALE 1-2MM² TERMINAL

✂ Full range of superseal connectors at durite.co.uk



RETRACTABLE CABLE

- ✓ 7 core retractable cable
- ✓ 2 x EBS sockets
- ✓ 3M



0-715-23 | 7-CORE

ASSORTMENT KITS

- ✓ Deutsch DT connectors
- ✓ 152 pcs

✂ More assortment kits available, visit durite.co.uk

0-011-30 | ASSORTED DEUTSCH DT CONNECTORS



DEUTSCH CONNECTORS

	2-WAY KIT	3-WAY KIT	4-WAY KIT	6-WAY
Male	0-011-32	0-011-33	0-011-34	-
Female	0-011-42	0-011-43	0-011-44	0-011-46



✂ Fits most work lamps.

0-420-36 | 360° SWIVEL BRACKET



0-097-62 | 12V CURRENT LOADING BALLAST

0-097-74 | 24V CURRENT LOADING BALLAST

✂ Visit durite.co.uk for more.

0-445-19 | DIN SPIGOTS

Vertical DIN spigot or through mounting for spigot mount beacons



✂ Horizontal mounting bracket.

0-170-99 | BRACKET FOR LED MARKER LAMP



0-767-99 | MOUNTING BEZEL FOR 95MM

FINDING THE RIGHT LIGHTS FOR YOU

Here's what to look out for when selecting your lights.

1 VEHICLE TYPE

12V, 24V or 48V vehicle application

- 12V Van & small trailer
- 24V Truck & trailer
- 48V Forklifts

2 SPECIAL REQUIREMENTS

Some lights need approval for certain requirements

- Do they need to be R10 and/or R65 approved?
- Do they need to be approved for reversing?
- Do they need to be ADR approved? This means they can be used on vehicles carrying dangerous goods
- Do they need to be suitable for refrigerated vehicles?

3 FEATURES TO LOOK OUT FOR

Below are some of the most important to look out for

Lumens

- The higher the Lumens the brighter the light will be.

IP Ratings

- **IP65** - Protected from water spray from any direction & total dust ingress.
- **IP67** - Protected from temporary immersion in water & total dust ingress.

- **IP68** - Protected from continuous immersion in water & total dust ingress.
- **IP69K** - Protected from high pressure jets & total dust ingress.

Mounting Options

- Single bolt
- 3-bolt
- Magnetic
- Bracket

4 UNDERSTANDING E-MARK APPROVALS

Find out what each E-Mark means below



Electromagnetic compatibility



Position, stop and end-outline lamps



Asymmetrical beam headlamps



ADR unit is sealed and intrinsically safe



Reversing lights



Light-signalling devices



Retro-reflecting devices



Special warning lamps



Road illumination devices



Rear plate lighting



Daytime running lamps (DRL)



Retro-reflective devices and markings



Direction indicators (DI)



Side marker lamps



E-Marks for each function on the lamps

"THE TRUSTED QUALITY BRAND FOR PROFESSIONALS"

Cordwallis Group

CORDWALLIS GROUP
HEATHROW

Great Southwest Road | Bedfont | Middlesex | TW14 8ND
0208 045 5005